

- Disclosure statement: Mead Johnson Nutrition, a Reckitt Benckiser Company ("MJN") sponsors programs such as this to give healthcare professionals access to scientific and educational information provided by experts.
  The presenter has complete and independent control over the planning and content of the presentation.
  The presenter's comments and opinions are not peressarily those of MIN In the event that the
  - The presenter's comments and opmons are not necessarily those of MJN. In the event that the presentation contains statements about use of drugs that are not within the drugs' approved indications, MJN does not promote the use of any drug for indications outside the FDA-approved product label.

Maureen Shogan, MN, RNC Not to be reproduced in any electronic or paper fro without permission in writing from autho

2

# Objectives

- Participants should be able to:
- Relate the US Surgeon General, FDA, AAP, ACOG, AWHONN Breast Feeding Medicine, and AHA recommendations regarding marijuana/cannabis use in pregnancy and breastfeeding.
- Describe usage and prevalence of TetraHydroCannabinol (THC).

en Shogan, MN, RNC Not to be reproduced in any electronic or paper from without

• Describe potential outcomes for children exposed prenatally to cannabis.



Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com

in writing from autho











Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com

# Pregnant Women and Teenagers Not to Smoke or Vape Marijuana

Dr. Jerome Adams, the surgeon general, said they may be unaware that modern crops pose greater health risks because of their potency. August 28, 2019

Che Acto Hork Chines



known to be safe. .....the safest choice for pregnant women and adolescents is not to use marijuana.surgeon General Jerome Adams Advisory: Marijuana Use and the developing Brain.

9

ACOG American College of Dostetrics and Gynecology 10.2017	Women who are pregnant or contemplating pregnancy should be encouraged to discontinue marijuana use. Marijuana use during lactation and breast feeding is discouraged."
AAP American Academy of Pediatrics 9.2018	Marijuana should not be used during pregnancy. Maternal marijuana use while breastfeeding is discouraged. Because of potential risks unknown to the infant and potential risk during lactation, encouraged to abstain from using any marijuana while breast feeding
Academy of Breastfeeding Medicine 2015	Avoid further use or reduce their use as much as possible while breast feeding, advise them as to its possible long-term neurobehavioral effects. Instruct them to avoid direct exposure of the infant to marijuana and its smoke MM. RNC Not be reprodued in any electronic or pager from without permission in writing from

10







 Know as much AND more than those who receive your counsel

### Dr. Linda Balneaves, PhD, RN Assoc. Prof – University of Manitoba 27.6.17

 <u>https://www.youtube.com/watch?v=2b7NLa0V7</u> <u>Q8&t=4480s</u>

> Maureen Shogan, MN, RNC Not to be produced in any electronic or paper from

11

12









13

Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com



	Non Marijuana N=330	Marijuana Exposed N=330	р
LBW	6.8%	14.7%	0.002
GA	39.0	38.7	0.007
Preterm delivery <37 wks	6.0 %	11.3%	0.17
NICU admit	4.1%	7.3%	0.86

	Non Marijuana N= 652190	Marijuana ONLY Exposed N=9427
SGA ( 3 <sup>rd</sup> percentile)	2.4%	6.3%
SGA (10 <sup>th</sup> percentile)	9.3%	18.2%
Preterm delivery <37 wks	5.9 %	9.1%
No effect on <28 wks	0.5%	1.0%
Greatest effect 34-36 6/7	4.7%	8.7
Transfer to NICU	11.9%	25.1 %
Prematurity (2007-2012) (Corsi, 2020) Nature Medicine	499,917 6.1%	3148 12.4%



Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com



- 26 yr old female presents to Community Hospital
- 16<sup>th</sup> week gestation with N/V for past 24 hours
- PMH: hospitalization 4 months gastritis
- Hyperemesis gravidarum assumed
- Hospital course:
  - Day 1: Frequent and severe vomiting episodes (12 X/day)
  - Day 2: patient showered multiple times- mood seemed to considerably improve
  - Specific inquiry:
- Symptoms improved with hot bathing

Maureen Shogan, MN, RNC Arch Gynecol Obstet (2011) 284:1095-1097

21





**Cannabinoid Hyperemesis** 

• Hot bathing may be result of CB1 receptor activation

Ishaq, s, Ismail, S., Ghaus, S. Roop-e-Zahra, Rostami, K. (2014). Cannabinoid hyperemesis should be recognised as an effect of chronic cannabis abuse, <u>Gastroenterology Hepatology from Bed to Bench</u>, 7(3): 173-6.

Maureen Shogan, MN, RNC, Not to be reproduced in any electronic or paper from without permission in writing from author

· Resistant to anti emetics

· Treatment to alleviate

• Thermoregulatory role

22



Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com

# Cannabis exposure and Association or higher risk for ASD, ADHD, Preterm

April 2007 to March 2012	Non exposed 499,917	Marijuana only exposed 3148	Adjusted Hazard Ratio
ASD	1.4% dx	2.2% dx	1.53
Intellectual disability/learning disorders	1.7%	2.0	1.23 ns
ADHD	5.7%	6.7%	1.11 ns
Preterm <37	6.1%	12.4%	1.97

### "Interpretation of the associations should be cautious."

Corsi, DJ......Walker, M (2020). Maternal cannabis use in pregnancy and child neurodevelopmental outcomes, <u>Nature Medicine</u>, doi.org/10.1038/s41591-020-1002-5 Ontario Provide Information (Nature States), Nature States (Nature States), Nature States (Nature States), Nature States), Nature States, N

25



26





28

Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com

### **Cannabis and Breastfeeding**

- THC excreted into human milk in moderate amounts
- Relative Infant Dose:
- Milk:plasma ratio
- Animal studies show MJ could reduce quality and quantity of breast milk
- Two studies in women who smoked while breastfeeding
- Infants will test positive in urine screens for 2-3 weeks

N Engl J Med 1982;307(13):819-820, Hale TW. Medications and Mother's Mills. 15<sup>th</sup> ed. Clin Obstat Gynecol 2013;56:20211. NIDA sem Monogr 1985;59:48;60, Neurophonical Teratol 1990;12:161-8. Neurobiol Dis 1998; 5(6 P5,B):432-466. Neurobiol Teratol 1999;21:513-25. J Toxicol 2009;Article 396149.

29





31

e to for 2-3

Bertrand, KA et al (2018) Pediatrics, 142 (3).

Maureen Shogan, MN, RNC Not to be reproduced in any electronic or paper from without permission in writing from author



33











36

Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com























- . .



Copyright 2019 Maureen Shogan, MN, RNC Spokane, WA Not to be reproduced electronically in any form or copied on paper without permission in writing from above. maureen.shogan@gmail.com







